Trevor Vickey

List of Publications

⋈ trevor.vickey@cern.ch

¹ www.physics.ox.ac.uk/users/vickey/

School of Physics
University of the Witwatersrand
Private Bag 3, Wits 2050
Johannesburg, South Africa
+27-11-717-6848

Complete List of Publications (Refereed)

- 111. G. Aad *et al.* [ATLAS Collaboration], "Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector," http://arxiv.org/abs/1107.5003, submitted to Phys. Lett. B.
- 110. G. Aad *et al.* [ATLAS Collaboration], "Limits on the production of the Standard Model Higgs Boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector," accepted for publication by Eur. Phys. J. C.
- 109. G. Aad *et al.* [ATLAS Collaboration], "Measurement of $W\gamma$ and $Z\gamma$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector," accepted for publication by JHEP.
- 108. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the WW cross section in $\sqrt{s}=7$ TeV pp collisions with ATLAS," Phys. Rev. Lett. **107**, 041802 (2011).
- 107. G. Aad *et al.* [ATLAS Collaboration], "Search for pair production of first or second generation leptoquarks in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector at the LHC," Phys. Rev. D **83**, 112006 (2011).
- 106. G. Aad *et al.* [ATLAS Collaboration], "Search for Contact Interactions in Dimuon Events from pp Collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector," Phys. Rev. D **84**, 011101(R) (2011).
- 105. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/psi production in proton-proton collisions at $\sqrt{s}=7$ TeV," Nuclear Physics B **850**, 387 (2011).
- 104. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the Inelastic Proton-Proton Cross-Section at $\sqrt{s}=7$ TeV with the ATLAS Detector," accepted for publication by Nature Comm.
- 103. G. Aad *et al.* [ATLAS Collaboration], "Search for high mass dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment," Phys. Lett. B **700**, 163-180 (2011).
- 102. G. Aad *et al.* [ATLAS Collaboration], "Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector," Eur. Phys. J. C **71**, 1647 (2011).
- 101. G. Aad *et al.* [ATLAS Collaboration], "Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions," Eur. Phys. J. C **71**, 1682 (2011).
- 100. G. Aad *et al.* [ATLAS Collaboration], "Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC," Phys. Rev. Lett. **106**, 251801 (2011).
- 99. G. Aad *et al.* [ATLAS Collaboration], "Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in final states with missing transverse momentum and b-jets," Phys. Lett. B **701**, 398-416 (2011).
- 98. G. Aad *et al.* [ATLAS Collaboration], "Search for New Physics in Dijet Mass and Angular Distributions in pp Collisions at $\sqrt{s} = 7$ TeV Measured with the ATLAS Detector," New J. Phys. **13**, 053044 (2011).

- 97. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the Muon Charge Asymmetry from W Bosons Produced in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector," Phys. Lett. B **701**, 31 (2011).
- 96. G. Aad *et al.* [ATLAS Collaboration], "Search for Stable Hadronising Squarks and Gluinos at the ATLAS Experiment at the LHC," Phys. Lett. B **701**, 1 (2011).
- 95. G. Aad *et al.* [ATLAS Collaboration], "Measurements of underlying event properties using neutral and charged particles in p-p collisions at 900 GeV and 7 TeV with the ATLAS detector at the LHC," Eur. Phys. J. C **71**, 1636 (2011).
- 94. G. Aad *et al.* [ATLAS Collaboration], "Search for high-mass states with lepton plus missing transverse energy using the ATLAS detector with 36 pb⁻¹ of pp collisions at $\sqrt{s}=7$ TeV," Phys. Lett. B **701**, 50 (2011).
- 93. G. Aad *et al.* [ATLAS Collaboration], "Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions," Phys. Lett. B **701**, 186 (2011).
- 92. G. Aad *et al.* [ATLAS Collaboration], "Measurement of Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s} = 7$ TeV," Phys. Rev. Lett. **106**, 172002 (2011).
- 91. G. Aad *et al.* [ATLAS Collaboration], "Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions," Phys. Rev. Lett. **106**, 131802 (2011).
- 90. G. Aad *et al.* [ATLAS Collaboration], "Search for Massive Long-lived Highly Ionising Particles with the ATLAS Detector at the LHC," Phys. Lett. B **698**, 353-370 (2011).
- 89. G. Aad *et al.* [ATLAS Collaboration], "Luminosity Determination in pp Collisions at $\sqrt{s}=7$ TeV Using the ATLAS Detector at the LHC," Eur. Phys. J. C **71**, 1630 (2011).
- 88. G. Aad *et al.* [ATLAS Collaboration], "Study of Jet Shapes in Inclusive Jet Production in pp Collisions at $\sqrt{s} = 7$ TeV using the ATLAS Detector," Phys. Rev. D **83**, 052003 (2011).
- 87. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the centrality dependence of J/Psi yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC," Phys. Lett. B **697**, 294-312 (2011).
- 86. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the production cross section for W-bosons in association with jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector, " Phys. Lett. B **698**, 325-345 (2011).
- 85. G. Aad et al. [ATLAS Collaboration], "Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC," New J. Phys. **13**, 053033 (2011).
- 84. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector," Phys. Rev. D **83**, 052005 (2011).
- 83. G. Aad *et al.* [ATLAS Collaboration], "Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector," Phys. Rev. Lett. **106**, 121803 (2011).
- 82. G. Aad *et al.* [ATLAS Collaboration], "Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV," Eur. Phys. J. C **71**, 1577 (2011).

- 81. G. Aad et al. [ATLAS Collaboration], "Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s}=900$ GeV and 7 TeV with the ATLAS detector," Phys. Rev. D **83**, 112001 (2011).
- 80. G. Aad *et al.* [ATLAS Collaboration], "Studies of the performance of the ATLAS detector using cosmic-ray muons," Eur. Phys. J. C **71**, 1593 (2011).
- 79. G. Aad *et al.* [ATLAS Collaboration], "Observation of a centrality-dependent dijet asymmetry in lead-lead collisions at $\sqrt{s}_{NN}=2.76$ TeV with the ATLAS detector at the LHC," Phys. Rev. Lett. **105**, 252303 (2010).
- 78. G. Aad et al. [ATLAS Collaboration], "Measurement of the $W \to l\nu$ and $Z/\gamma * \to ll$ production cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector," JHEP 12, 060 (2010).
- 77. G. Aad *et al.* [ATLAS Collaboration], "Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector," Eur. Phys. J. C **71**, 1-59 (2011).
- 76. G. Aad et al. [ATLAS Collaboration], "Search for Quark Contact Interactions in Dijet Angular Distributions in pp Collisions at \sqrt{s} = 7 TeV Measured with the ATLAS Detector," Phys. Lett. B **694**, 327-345 (2011).
- 75. G. Aad et al. [ATLAS Collaboration], "Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC," Phys. Rev. Lett. **105**, 161801 (2010).
- 74. G. Aad *et al.* [ATLAS Collaboration], "Readiness of the ATLAS tile calorimeter for LHC collisions," Eur. Phys. J. C **70**, 1193 (2010).
- 73. G. Aad *et al.* [ATLAS Collaboration], "Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays," Eur. Phys. J. C **70**, 875 (2010).
- 72. G. Aad *et al.* [ATLAS Collaboration], "Performance of the ATLAS Detector using First Collision Data," JHEP **1009**, 056 (2010).
- 71. G. Aad *et al.* [ATLAS Collaboration], "The ATLAS Simulation Infrastructure," Eur. Phys. J. C **70**, 823 (2010).
- 70. G. Aad *et al.* [ATLAS Collaboration], "The ATLAS Inner Detector commissioning and calibration," Eur. Phys. J. C **70**, 787 (2010).
- 69. G. Aad et al. [ATLAS Collaboration], "Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC," Phys. Lett. B **688**, 21-42 (2010).
- 68. G. Aad *et al.* [ATLAS Collaboration], "Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons," Eur. Phys. J. C **70**, 755 (2010).
- 67. G. Aad et al. [ATLAS Collaboration], "Readiness of the ATLAS Liquid Argon Calorimeter for LHC Collisions," Eur. Phys. J. C 70, 723 (2010).
- G. Aad et al. [ATLAS Collaboration], "The ATLAS Experiment at the CERN Large Hadron Collider," JINST 3, S08003 (2008).
- 65. A. Abdesselam *et al.* [ATLAS Collaboration], "The Integration and Engineering of the ATLAS Semiconductor Tracker Barrel," JINST **3**, 10006 (2008).

- 64. E. Abat *et al.* [ATLAS Collaboration], "Combined performance tests before installation of the ATLAS Semiconductor and Transition Radiation Tracking Detectors," JINST **3**, P08003 (2008).
- 63. A. Abdesselam *et al.* [ATLAS Collaboration], "Engineering for the ATLAS SemiConductor Tracker (SCT) End-cap," JINST **3**, P05002 (2008).
- 62. A. Abdesselam *et al.* [ATLAS Collaboration], "The Data acquisition and calibration systems for the ATLAS semiconductor tracker," JINST **3**, P01003 (2008).
- 61. A. Ahmad *et al.* [ATLAS Collaboration], "The Silicon microstrip sensors of the ATLAS semiconductor tracker," Nucl. Instrum. Meth. A **578**, 98 (2007).
- 60. A. Abdesselam *et al.* [ATLAS Collaboration], "The ATLAS semiconductor tracker end-cap module," Nucl. Instrum. Meth. A **575**, 353-389 (2007).
- 59. A. Abulencia *et al.* [CDF Collaboration], "Measurements of Inclusive W and Z Cross Sections in p-pbar Collisions at $\sqrt{s} = 1.96$ TeV," J. Phys. G **34**, 2457 (2007).
- 58. A. Abulencia *et al.* [CDF Collaboration], "Measurement of the t anti-t production cross section in p anti-p collisions at $\sqrt{s} = 1.96$ -TeV using missing E(t) + jets events with secondary vertex b-tagging," Phys. Rev. Lett. **96**, 202002 (2006).
- 57. A. Abulencia *et al.* [CDF Collaboration], "Measurement of the dipion mass spectrum in $X(3872) \rightarrow J/\psi \pi^+\pi^-$ decays," Phys. Rev. Lett. **96**, 102002 (2006).
- 56. A. Abulencia *et al.* [CDF Collaboration], "A search for scalar bottom quarks from gluino decays in $\bar{p}p$ collisions at $\sqrt{s}=1.96$ -TeV," Phys. Rev. Lett. **96**, 171802 (2006).
- 55. A. Abulencia *et al.* [CDF Collaboration], "Top quark mass measurement from dilepton events at CDF II," Phys. Rev. Lett. **96**, 152002 (2006).
- 54. A. Abulencia *et al.* [CDF Collaboration], "Measurement of mass and width of the excited charmed meson states D10 and D2*0," Phys. Rev. D **73**, 051104 (2006).
- 53. A. Abulencia *et al.* [CDF Collaboration], "Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a W boson at CDF II," Phys. Rev. D **73**, 051101 (2006).
- 52. A. Abulencia *et al.* [CDF Collaboration], "Measurement of the inclusive jet cross section using the k(t) algorithm in p anti-p collisions at $\sqrt{s} = 1.96$ -TeV," Phys. Rev. Lett. **96**, 122001 (2006).
- 51. A. Abulencia *et al.* [CDF Collaboration], "Search for H to b anti-b produced in association with W bosons in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ -TeV," Phys. Rev. Lett. **96**, 081803 (2006).
- 50. A. Abulencia *et al.* [CDF Collaboration], "Search for second-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ -TeV," Phys. Rev. D **73**, 051102 (2006).
- 49. A. Abulencia *et al.* [CDF Collaboration], "Measurement of the inclusive jet cross section in $p\bar{p}$ interactions at $\sqrt{s}=1.96$ -TeV using a cone-based jet algorithm," Phys. Rev. D **74**, 071103 (2006).
- 48. A. Abulencia *et al.* [CDF Collaboration], "Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b-tags in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ -TeV," Phys. Rev. D **73**, 092002 (2006).
- 47. A. Abulencia et al. [CDF Collaboration], "Measurement of the helicity of W bosons in top-quark decays," Phys. Rev. D **73**, 111103 (2006).

- 46. A. Abulencia *et al.* [CDF Collaboration], "Search for charged Higgs bosons from top quark decays in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ -TeV," Phys. Rev. Lett. **96**, 042003 (2006).
- 45. A. Abulencia *et al.* [CDF Collaboration], "A search for $t \to tau\nu q$ in $t\bar{t}$ production," Phys. Lett. B **639**, 172 (2006).
- 44. A. Abulencia *et al.* [CDF Collaboration], "Precision top quark mass measurement in the lepton + jets topology in p anti-p collisions at $\sqrt{s} = 1.96$ -TeV," Phys. Rev. Lett. **96**, 022004 (2006).
- 43. A. Abulencia *et al.* [CDF Collaboration], "Top quark mass measurement using the template method in the lepton + jets channel at CDF II," Phys. Rev. D **73**, 032003 (2006).
- 42. A. Abulencia *et al.* [CDF Collaboration], "Direct search for Dirac magnetic monopoles in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **96**, 201801 (2006).
- 41. A. Abulencia *et al.* [CDF Collaboration], "Search for neutral MSSM Higgs bosons decaying to tau pairs in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **96**, 011802 (2006).
- 40. D. Acosta *et al.* [CDF Collaboration], "Measurement of b hadron masses in exclusive J/ψ decays with the CDF detector," Phys. Rev. Lett. **96**, 202001 (2006).
- 39. A. Abulencia *et al.* [CDF Collaboration], "Measurement of the ratios of branching fractions $B(B_s^0 \to D_s^-\pi^+)/B(B^0 \to D^-\pi^+)$ and $B(B^+ \to \overline{D}^0\pi^+)/B(B^0 \to D^-\pi^+)$," Phys. Rev. Lett. **96**, 191801 (2006).
- 38. A. Abulencia *et al.* [CDF Collaboration], "Evidence for the exclusive decay $B_c^{\pm} \to J/\psi \pi^{\pm}$ and measurement of the mass of the B_c meson," Phys. Rev. Lett. **96**, 082002 (2006).
- 37. A. Abulencia *et al.* [CDF Collaboration], "Search for $B_s \to \mu^+\mu^-$ and $B_d \to \mu^+\mu^-$ decays in $p\bar{p}$ collisions with CDF II," Phys. Rev. Lett. **95**, 221805 (2005) [Erratum-ibid. **95**, 249905 (2005)].
- 36. A. Abulencia *et al.* [CDF Collaboration], "Search for new high mass particles decaying to lepton pairs in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **95**, 252001 (2005).
- 35. D. Acosta *et al.* [CDF Collaboration], "Search for $\Lambda_b \to p\pi$ and $\Lambda_b \to pK$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV," Phys. Rev. D **72**, 051104 (2005).
- 34. D. Acosta *et al.* [CDF Collaboration], "Search for first-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **72**, 051107 (2005).
- 33. D. Acosta *et al.* [CDF Collaboration], "Search for new physics using high mass tau pairs from 1.96 TeV $p\bar{p}$ collisions," Phys. Rev. Lett. **95**, 131801 (2005).
- 32. D. Acosta *et al.* [CDF Collaboration], "Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV using lepton plus jets events with semileptonic B decays to muons," Phys. Rev. D **72**, 032002 (2005).
- 31. D. Acosta *et al.* [CDF Collaboration], "Measurement of $B(t \to Wb)/B(t \to Wq)$ at the Collider Detector at Fermilab," Phys. Rev. Lett. **95**, 102002 (2005).
- 30. D. E. Acosta *et al.* [CDF Collaboration], "Study of jet shapes in inclusive jet production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV," Phys. Rev. D **71**, 112002 (2005).
- 29. D. Acosta *et al.* [CDF Collaboration], "Measurement of the cross section for $t\bar{t}$ production in $p\bar{p}$ collisions using the kinematics of lepton + jets events," Phys. Rev. D **72**, 052003 (2005).

- 28. D. Acosta *et al.* [CDF Collaboration], "Search for long-lived doubly-charged Higgs bosons in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **95**, 071801 (2005).
- 27. D. Acosta *et al.* [CDF Collaboration], "First evidence for $B_s^0 \to \phi \phi$ decay and measurements of branching ratio and A_{CP} for $B^+ \to \phi K^+$," Phys. Rev. Lett. **95**, 031801 (2005).
- 26. D. Acosta *et al.* [CDF Collaboration], "Measurement of the moments of the hadronic invariant mass distribution in semileptonic *B* decays," Phys. Rev. D **71**, 051103 (2005).
- 25. D. Acosta *et al.* [CDF Collaboration], "Measurement of the W^+W^- production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV using dilepton events," Phys. Rev. Lett. **94**, 211801 (2005).
- 24. D. Acosta *et al.* [CDF Collaboration], "Measurement of the forward-backward charge asymmetry from $W \to e\nu$ production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **71**, 051104 (2005).
- 23. D. Acosta *et al.* [CDF Collaboration], "Search for ZZ and ZW production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **71**, 091105 (2005).
- 22. D. Acosta *et al.* [CDF Collaboration], "Measurement of the J/ψ meson and b-hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s}=1960$ GeV," Phys. Rev. D **71**, 032001 (2005).
- 21. D. Acosta *et al.* [CDF Collaboration], "Measurement of the lifetime difference between B(s) mass eigenstates," Phys. Rev. Lett. **94**, 101803 (2005).
- 20. D. Acosta *et al.* [CDF Collaboration], "Measurement of the cross section for prompt diphoton production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **95**, 022003 (2005).
- 19. D. Acosta *et al.* [CDF Collaboration], "Search for anomalous kinematics in $t\bar{t}$ dilepton events at CDF II," Phys. Rev. Lett. **95**, 022001 (2005).
- 18. D. Acosta *et al.* [CDF Collaboration], "Measurement of the forward-backward charge asymmetry of electron positron pairs in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **71**, 052002 (2005).
- 17. D. Acosta *et al.* [CDF Collaboration], "Search for scalar leptoquark pairs decaying to $\nu\bar{\nu}q\bar{q}$ in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **71**, 112001 (2005) [Erratum-ibid. D **71**, 119901 (2005)].
- 16. D. Acosta *et al.* [CDF Collaboration], "Search for electroweak single top quark production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **71**, 012005 (2005).
- 15. D. Acosta *et al.* [CDF Collaboration], "Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models," Phys. Rev. D **71**, 031104 (2005).
- 14. D. Acosta *et al.* [CDF Collaboration], "Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV using lepton + jets events with secondary vertex b-tagging," Phys. Rev. D **71**, 052003 (2005).
- 13. D. Acosta *et al.* [CDF Collaboration], "Search for excited and exotic electrons in the $e\gamma$ decay channel in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **94**, 101802 (2005).
- 12. D. Acosta et al. [CDF Collaboration], "Measurement of $W\gamma$ and $Z\gamma$ production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **94**, 041803 (2005).
- 11. D. Acosta *et al.* [CDF Collaboration], "Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV using kinematic fitting of b-tagged lepton + jet events," Phys. Rev. D **71**, 072005 (2005).

- 10. D. Acosta *et al.* [CDF Collaboration], "Measurement of partial widths and search for direct CP violation in D^0 meson decays to K^-K^+ and $\pi^-\pi^+$," Phys. Rev. Lett. **94**, 122001 (2005).
- 9. D. Acosta *et al.* [CDF Collaboration], "First measurements of inclusive W and Z cross sections from Run II of the Tevatron collider," Phys. Rev. Lett. **94**, 091803 (2005).
- 8. D. Acosta *et al.* [CDF Collaboration], "Search for doubly-charged Higgs bosons decaying to dileptons in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **93**, 221802 (2004).
- 7. D. Acosta *et al.* [CDF Collaboration], "Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV using dilepton events," Phys. Rev. Lett. **93**, 142001 (2004).
- 6. D. Acosta *et al.* [CDF Collaboration], "Search for $B^0_s \to \mu^+\mu^-$ and $B^0_d \to \mu^+\mu^-$ decays in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **93**, 032001 (2004).
- 5. D. Acosta *et al.* [CDF Collaboration], "Observation of the narrow state $X(3872) \to J/\psi \pi^+\pi^-$ in $\bar{p}p$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **93**, 072001 (2004).
- 4. A. A. Affolder *et al.* [CDF Collaboration], "CDF central outer tracker," Nucl. Instrum. Meth. A **526**, 249 (2004).
- 3. D. Acosta *et al.* [CDF Collaboration], "Measurement of the mass difference $m(D_s^+) m(D^+)$ at CDF II," Phys. Rev. D **68**, 072004 (2003).
- 2. D. Acosta *et al.* [CDF Collaboration], "Search for the flavor-changing neutral current decay $D^0 \to \mu^+\mu^-$ in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. D **68**, 091101 (2003).
- 1. D. Acosta *et al.* [CDF Collaboration], "Measurement of prompt charm meson production cross sections in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV," Phys. Rev. Lett. **91**, 241804 (2003).

Book Chapters and Reviews

- S. Dittmaier et al., "Handbook of LHC Higgs Cross Sections: 1. Inclusive Observables," ISBN 978-92-9083-358-1 (2011). [Significant contributions to the chapter: "MSSM neutral Higgs production processes"].
- 1. ATLAS Collaboration, "Expected Performance of the ATLAS Experiment—Detector, Trigger and Physics," ISBN 978-92-9083-321-5 (2009) [Significant contributions to the chapters: "Exotics Di-lepton/Di-photon," "Hadronic Tau Identification," "Charged Higgs," "VBF $H \to \tau^+\tau^-$, $H \to W^+W^-$," "MSSM $h/A/H \to \tau^+\tau^-$," "Statistical Combination of Standard Model Higgs Boson Search Channels"].

Conference Proceedings

- T. Vickey [ATLAS Collaboration], "ATLAS Searches for Higgs Bosons beyond the Standard Model," to appear in Proceedings of the 19th Particles and Nuclei International Conference (PANIC11), Cambridge, Massachusetts, USA (2011).
- 4. T. Vickey [ATLAS Collaboration], "Data-driven Methods for the Estimation of $t\bar{t}$ Backgrounds to Charged Higgs Searches," Proceedings of Prospects for Charged Higgs Discovery at Colliders, Uppsala, Sweden (2008).
- 3. T. Vickey [ATLAS Collaboration and CMS Collaboration], "Higgs Searches at the LHC," Proceedings of the XLIIIrd Rencontres de Moriond, La Thuile, Italy (2008).

- T. Vickey [ATLAS Collaboration], "A Read-out Driver for Silicon Detectors in ATLAS,"
 Proceedings 12th Workshop on Electronics for LHC and Future Experiments, Valencia, Spain (2006).
- 1. T. Vickey [CDF Collaboration], "Top physics results at CDF," Proceedings 2005 Lake Louise Winter Institute, Lake Louise, Alberta, Canada (2005).

Dissertations

1. T. Vickey, "Measurement of W Boson Polarization in Top Quark Decay," University of Illinois at Urbana-Champaign, USA (2004).

Internal Notes [ATLAS Collaboration]

- 37. C. Anders *et al.*, "Search for Neutral Higgs Bosons $H \to \tau^+\tau^- \to l\tau$ with the ATLAS Detector in 7 TeV Collisions," ATL-COM-PHYS-2011-939 (2011).
- 36. M. Flechl *et al.*, "Search for charged Higgs bosons decaying to $\tau^{\pm}(hadronic)\nu$ in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Experiment—Supporting Note," ATL-COM-PHYS-2011-607 (2011).
- 35. C. Anders *et al.*, "Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Experiment," ATL-COM-PHYS-2011-535 (2011).
- 34. C. Anders *et al.*, "Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Experiment," ATL-COM-PHYS-2011-500 (2011).
- 33. E. Barberio *et al.*, "Measurement of the $Z \to \tau\tau$ Cross-Section with the ATLAS detector," ATL-COM-PHYS-2011-482 (2011).
- 32. C. Anders *et al.*, "Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Experiment," ATL-COM-PHYS-2011-458 (2011).
- 31. E. Barberio et al., "Measurement of $Z \to \tau \tau$ production cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector Combination of Results," ATL-COM-PHYS-2011-419 (2011).
- 30. C. Boddy *et al.*, "Measurement of $Z \to \tau \tau$ production cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector Support Note for lep-had channels," ATL-COM-PHYS-2011-416 (2011).
- 29. H. Abreu *et al.*, "Search for the Standard Model Higgs Boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector," ATL-COM-PHYS-2011-308 (2011).
- 28. ATLAS Experiment, "Data-driven estimation of the background to ATLAS H^+ searches with hadronic-tau final states," ATLAS-COM-CONF-2011-048 (2011).
- 27. ATLAS Experiment, "Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Experiment," ATLAS-COM-CONF-2011-037 (2011).
- 26. C. Anders *et al.*, "Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ pairs in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS Experiment," ATL-COM-PHYS-2011-181 (2011).
- 25. D. Cavalli, "Observation of $Z \to \tau_h \tau_l$ Decays with the ATLAS detector," ATLAS-COM-CONF-2010-114 (2010).

- 24. S. Burdin *et al.*, "Searches for a Neutral MSSM Higgs Boson Decaying to $\tau_h \tau_l$ in $\sqrt{s}=7$ TeV Collisions at the ATLAS Experiment," ATL-COM-PHYS-2010-1062 (2010).
- 23. D. Cavalli *et al.*, "Observation of $Z \to \tau\tau$ Decays with the ATLAS detector—Support Note for lep-had channel," ATL-COM-PHYS-2010-1033 (2010).
- 22. S. Arghir *et al.*, "Data-driven estimation of the background to H^+ searches with hadronic-tau final states," ATL-COM-PHYS-2010-1026 (2010).
- 21. P. Bechtle *et al.*, "Commissioning of the ATLAS Tau-Lepton Reconstruction Using 7 TeV data," ATL-COM-PHYS-2010-392 (2010).
- 20. P. Bechtle *et al.*, "Reconstruction of hadronic tau candidates in QCD events at ATLAS with 7 TeV proton-proton collisions," ATL-COM-PHYS-2010-391 (2010).
- 19. N. Andari *et al.*, "Higgs Production Cross Sections and Decay Branching Ratios," ATL-PHYS-INT-2010-030; ATL-COM-PHYS-2010-046 (2010).
- 18. F.M.L. Almeida Jr. et al., "Dilepton Resonances at High Masses," ATL-PHYS-PUB-2009-070; ATL-COM-PHYS-2009-093 (2009).
- 17. C. Adam Bourdarios *et al.*, "Statistical Combination of Several Important Standard Model Higgs Boson Search Channels," ATL-PHYS-PUB-2009-063; ATL-COM-PHYS-2009-222 (2009).
- 16. K. Assamagan *et al.*, "ATLAS Charged Higgs Boson Searches," ATL-PHYS-PUB-2009-062; ATL-COM-PHYS-2009-221 (2009).
- 15. E. Barberio *et al.*, "Discovery Potential of h/A/H to $\tau^+\tau^-$ to $l^+l^-4\nu$," ATL-PHYS-PUB-2009-059; ATL-COM-PHYS-2009-218 (2009).
- 14. A. Armbruster *et al.*, "Higgs Boson Searches in Gluon Fusion and Vector Boson Fusion using the $H \to WW$ Decay Mode," ATL-PHYS-PUB-2009-056; ATL-COM-PHYS-2009-215 (2009).
- 13. A. Ahmad *et al.*, "Search for the Standard Model Higgs boson via Vector Boson Fusion production process in the di-tau channels," ATL-PHYS-PUB-2009-055; ATL-COM-PHYS-2009-214 (2009).
- 12. P. Beachtle *et al.*, "Reconstruction and Identification of Hadronic Decays," ATL-PHYS-PUB-2009-017; ATL-COM-PHYS-2009-113 (2009).
- 11. A. Armbruster *et al.*, "Higgs Boson Searches in Gluon Fusion and Vector Boson Fusion using the $H \to WW$ Decay Mode," ATL-PHYS-INT-2009-029; ATL-COM-PHYS-2009-060 (2009).
- 10. B. Mellado *et al.*, "Multivariate and Fit-based approaches to H+0j, $H\to WW\to l\nu l\nu$," ATL-COM-PHYS-2009-032 (2009).
- 9. A. Ahmad *et al.*, "Search for the Standard Model Higgs boson via Vector Boson Fusion production process in the di-tau channels with ATLAS," ATL-COM-PHYS-2008-221 (2008).
- 8. A. Ahmad *et al.*, "Search for the Standard Model Higgs boson via Vector Boson Fusion production process in the di-tau channels with ATLAS," ATL-COM-PHYS-2008-220 (2008).
- 7. S. Behar Harpaz *et al.*, "A Control Sample for $t\bar{t}$ + jets Backgrounds with One or More τ Leptons in the Final State," ATL-COM-PHYS-2008-145 (2008).
- 6. X. Chen et al., "A Data-driven Control Sample for $Z \to \tau \tau$ + jets Backgrounds to Higgs Searches," ATL-COM-PHYS-2008-144 (2008).

- 5. C. Czyczula *et al.*, "Searching for new physics using high- P_T tau pairs in ATLAS," ATL-PHYS-INT-2008-038; ATL-COM-PHYS-2008-098 (2008).
- 4. K. Assamagan *et al.*, "ATLAS Charged Higgs Boson Searches," ATL-PHYS-INT-2008-046; ATL-COM-PHYS-2008-090 (2008).
- 3. P. Bechtle *et al.*, "Reconstruction and Identification of Hadronic τ Decays with ATLAS," ATL-COM-PHYS-2008-068 (2008).
- 2. X. Chen *et al.*, "Search of a SM Higgs in the VBF $H \to \tau\tau$ Channel at ATLAS," ATL-PHYS-INT-2009-030; ATL-COM-PHYS-2008-066 (2008).
- 1. P. Bechtle *et al.*, "Identification of hadronic tau decays with the ATLAS detector," ATL-PHYS-INT-2008-003; ATL-COM-PHYS-2007-066 (2007).

Internal Notes [CDF Collaboration]

- 13. Nathan Goldschmidt and Trevor Vickey, "Combined analysis of W helicity in top-quark decays," CDF/ANAL/TOP/CDFR/7736 (2005).
- 12. David Gerdes, Nathan Goldschmidt, Tony Liss and Trevor Vickey, "Measurement of the Helicity of W Bosons in Top Quark Decays," CDF/PUB/TOP/PUBLIC/7804 (2004).
- 11. Trevor Vickey and Tony Liss, "Measurement of W Boson Polarization in Top Quark Decays using $\cos \theta^*$ at CDF (Public Note)," CDF/ANAL/TOP/PUBLIC/7173 (2004).
- 10. Trevor Vickey and Tony Liss, "Measurement of W Boson Polarization in Top Quark Decays using $\cos\theta^*$," CDF/ANAL/TOP/CDFR/6969 (2004).
- 9. Trevor Vickey and Tony Liss, "Fixing W Boson Helicity with MadEvent," CDF/PHYS/TOP/PUBLIC/6712 (2003).
- 8. Douglas Glenzinski, Natalia Kuznetsova, Tony Liss and Trevor Vickey, "A Five-Dimensional SecVtx Tag-Rate Matrix," CDF/DOC/SEC_VTX/CDFR/6378 (2003).
- 7. David Gerdes, Nathan Goldschmidt, Natalia Kuznetsova, Tony Liss and Trevor Vickey, "W Polarization Sensitivity Studies," CDF/ANAL/TOP/CDFR/6372 (2003).
- 6. Dan Amidei *et al.*, "Measurement of ppbar \rightarrow ttbar Cross Section in the Lepton + Jets SECVTX Tagged Sample," CDF/ANAL/TOP/CDFR/6329 (2003).
- 5. Douglas Glenzinski, Natalia Kuznetsova, Tony Liss and Trevor Vickey, "The SecVtx Tag Rate Matrix for the 2003 Winter Conferences," CDF/DOC/SEC_VTX/CDFR/6240 (2002).
- 4. E. Brubaker, A. Munar and T. Vickey, "Description of Ntuple Variables in SecVtxNtupleModule," CDF/PHYS/TOP/PUBLIC/6224 (2002).
- 3. L. Cerrito, H.S. Kim, K. Lannon, T.M. Liss and T. Vickey, "Performance of the CMU and CMP Muon Chambers," CDF/ANAL/MUON/CDFR/6055 (2002).
- 2. S. Errede, K. Lannon and T. Vickey, "Hardware for Calibration and Monitoring of the CDF II Muon Systems," CDF/DOC/MUON/CDFR/5197 (1999).
- 1. T. Liss et al., "COT Wireplane Testing at U of Illinois," CDF/DOC/TRACKING/CDFR/4570 (1998).